



The Patent Office

Concept House

MAY 2004 Newr


PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before reregistration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated

7 May 2004

SUBMITTED OR TRANSMITTED IN

Patents Act 1977
(Rule 16)

Patents Act 1977
(Rule 16)

Patents Act 1977
Patents Act 1977
(Rule 16)

09APR03 E798719-6 D00180 P01/7700 0.00-0308099-1

The Patent Office

Cardiff Road Newport South Wales NP9 1RH

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in

his form)		NP9 1RH
. Your reference	NG/21534	
 Patent application number (The Patent Office will fill in this part) 	08 AFR 7893 03080	99.1 0676657000
 Full name, address and postcode of the each applicant (underline all surnames) 	or of (1) FFP Packaging Solutions Emission 1-7 Tenter Road, Moulton Park Industria Northampton NN3 6PZ	al Estate
Patents ADP number (if you know it) If the applicant is a corporate body, give	Wilmington, Delaware 17603, 6514 (1) CR corporation (2) Delaware Incorp	poration USA
country/state of its incorporation 4. Title of the invention	IMPROVEMENTS IN AND REL HEATING OF FOOD PRODUCT	AIMO
5. Name of your agent (if you have one) "Address for service" in the United Ki to which all correspondence should it (including the postcode)	A A THORNTON & CO ingdom be sent 235 HIGH HOLBORN LONDON WC1V 7LE	
(G Impart it)	75001	
Patents ADP number (if you know it) 6. If you are declaring priority from one or mearlier patent applications, give the country and the date of filing of the or of each of the earlier applications and (if you know it) the earlier applications.	ch of these	ber Date of filing (day / month / year
each application number	erwise Number of earlier application	Date of filing (day / month / yea
derived from an earlier OR apparent give the number and the filing date the earlier application	of	
8. Is a statement of inventorship and to grant of a patent required in supthis request? (Answer Yee' if: a) any applicant named in part 3 is not there is an inventor who is not name applicant, or	t an inventor, or ed as an	
c) any named applicant is a corporate See note (4))	<i>ьоау.</i> 	Patents Form

-	ر of sheets for any of the rollowing items-you are filing with this form.			
	Do not count copies of the same document		•	
	Continuation sheets of this form		•	
	Description	6	0.	٠
	Claim(s)	-	\mathcal{N}	
	Abstract	-	()	
	Drawing(s)		V	
	If you are also filing any of the following, state how many against each item.			
	Priority documents	-		
	Translations of priority documents	-		,
	Statement of inventorship and right to grant of a patent (Patents Form 7/77)	-	•	•
	Request for preliminary examination and search (Patents Form 9/77)	-		
-	Request for substantive examination (Patents Form 10/77)	-	-	

11.

I/We request the grant of a patent on the basis of this application.

Signature

ff Tleety blo

Date

07/04/03

12. Name and daytime telephone number of person to contact in the United Kingdom NIGEL GOODENOUGH - 01604 638242

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.

Any other documents

(please specify)

- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- e) Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.



IMPROVEMENTS IN AND RELATING TO HEATING OF FOOD PRODUCTS

This invention relates to the heating of food products, and more particularly to the heating of food products using a clam-shell heater.

Clam-shell heaters are well known in the catering industry for use in heating food products. A clam-shell heater comprises a pair of heated plates which can be moved between a spaced apart configuration to allow a food product to be loaded onto one of the plates, and a use configuration is which the plates are generally parallel to each other and the food product is sandwiched between the plates. The spacing of the plates in the use configuration is chosen so that the food product is lightly compressed between the plates allowing a high level of heat transfer from the plates to the food product by conduction. Clam-shell heaters may be used to heat either raw or precooked food products (for example a chicken product) prior to serving or may be used to cook a food product (for example a fish product) prior to serving.

Typically (but not exclusively) the food product to be cooked will be frozen when it is put between the plates.

Clam-shell heaters of the type described above are used extensively in the catering industry, and in particular in the fast food industry. There have well recognized advantages in the terms of rapid and reliable heating/cooking of products.

We have now discovered that substantial benefits in the use of clam-shell heaters flow if the food product to be cooked is pre-wrapped in a substantially sealed film envelope before it is placed between the plates of the clam-shell heater, and the heating is carried out with the film envelope still surrounding the food product. We have found that by appropriate design a film envelope can be produced in which the seals are able to withstand a pre-determined limited level of internal pressure so that steam generated during the heating process will assist in heating the product, but the package will automatically vent when steam pressure reaches a pre-determined level.

According to a first aspect of the present invention a method of providing a

heated food product comprises: pre-forming food product into a portion having a substantially uniformed pre-determined thickness; sealing the food portion into an envelope formed from a film to produce a package, at least one of the seals of the package being peelable under conditions of elevated temperature and pressure within the envelope to vent the envelope during heating; placing the package between the plates of a clam-shell heater; closing the plates of the clam-shell heater to contact both major faces of the package; heating the food product in the clam-shell heater; removing the food product and envelope from the clam-shell heater; removing the food product from the envelope; and discarding the envelope.

The process in accordance with the present invention has several advantages. The food product can be fully prepared (for example by the inclusion of fillings, flavourings, surface coatings, etc) prior to formation of the envelope. Once the envelope has been formed and sealed the food product will be protected from contamination and, to an extent, from mechanical damage. The food product may be frozen in the envelope if desired. The package comprising the food product in the envelope can easily be loaded onto the plates of the clam-shell heater without damage to the food product. During the heating process steam generated within the envelope will assist in the heating of the food product but will be vented automatically to prevent excessive pressure buildup within the envelope. The envelope will both keep the plates of the clam-shell heater clean and will prevent cross-contamination of food products. Thus, for example, a sweet product (for example an apple pastry) can be heated in the same clam-shell heater and adjacent to a fish product without any crosscontamination of the products. The envelope facilitates removal of the food product from the clam-shell heater eliminating any risk that the food product will stick to the plates of the clam-shell heater. The film envelope will assist in keeping the products hot until it is required to be served. Immediately prior to service the product may be removed from the envelope, treated if necessary (for example by using a searing device to produce sear marks on the surface of the product) and served.

The process in accordance with the present invention offers substantial hygiene



advantages since the product is protected form contamination from the moment that the envelope is sealed until immediately before the heated product is served to the final customer

The envelope may advantageously be formed of a film of the type which is commonly used in the food packaging industry as a lidding film for substantially rigid food containers. Such films comprising a structural layer of polyethylene terephthalate (PET) having a surface coating of amorphous PET are known and are commonly sealed to rigid food containers (also having a structural layer of PET and a surface coating of amorphous PET) to provide a film closure to a package. Heretofore such film materials have not themselves been used to the formation of envelope-like packages for solid food products.

In accordance with the second aspect of the present invention there is provided a package comprising a food product contained within a sealed envelope of film material, the envelope comprising a first structural layer and a second coating layer, the coating layer being heat sealable to seal the envelope, the seals being peelable at a predetermined temperature and internal pressure to vent the package during heating.

Preferably, in addition to the structural layer and the coating layer the film comprises a further layer which may, for example, be a further structural layer of PET. In the preferred embodiment of the invention a pigment or indicia are laminated between the structural PET layer and the further layer. By this means colour coding may be used to identify the food product contained within the package and the possibility of small portions of packaging material being left adhered to the food product after the food product has been removed from the envelope is substantially reduced because of the high visual impact of the material of the envelope.

The invention will be better understood from the following description of a preferred embodiment thereof, given by way of example only.

A food product is prepared by shaping chicken material, flavouring the material, and cooking the material. The cooked material is placed on a sheet of film material and the film material manipulated to form a sealed envelope of film

surrounding the product. The envelope may be made in-situ or be pre-made or manufactured on standard pouch-making, HFFS or VFFS equipment. The envelope may, for example be formed by drawing opposite edges of the film together and forming a sealed longitudinal seam, and forming end seams at opposite ends of the products so that an envelope of generally pillow-like configuration is formed. It should be understood that whilst in many instances the food product will be cooked prior to formation of the envelope in many instances, particularly in relation to fish products, the preparation of the food product prior to formation of the envelope may omit any cooking stage, the cooking of the product being carried out during heating of the package in the clam-shell heater.

A preferred packaging film for forming the envelope comprises first and second layers of PET having therebetween a dye or ink layer to produce a distinctively coloured film. One of the layers is provided with a surface coating of amorphous PET material so that the material may be heat sealed to itself to provide a seal which is reliable and robust at freezer and room temperatures, but which will delaminate at elevated temperatures when the envelope is subject to internal pressure. With such an arrangement the envelope will automatically self-vent when, during the heating phase internal pressure within the envelope reaches a level in relation to the temperature of the package.

A suitable film material may comprise a primary web of 12 micron polyester (PET) film and a secondary web comprising a heat sealable coating comprising 2 microns of amorphous polyester (PET + h/s). The primary web may be reverse printed by a gravure process in design specific colours. The film may optionally be laminated with a further polyester (PET) film to encapsulate the printing. Such a film will permit food to be heated to temperatures of up to 464°F and will withstand freezing temperatures down to -40°F. In a typical clam-shell heater the design operating temperature of the plates is no greater than 425°F. When heated the film seals will peel at pressures typically encountered during heating of a food product.

In the preferred method the package, once formed, will be deep frozen by any



known deep freezing technique and stored in a deep frozen state until immediately before it is required for use. When a portion of the food product is required a package will be removed from a freezer and placed on one of the plates on a clam-shell heater. The plates of the clam-shell heater will then be closed to compress the food product lightly between the plates. Heating of the food product will occur largely by conduction from the plates of the clam-shell heater through the film material of the envelope into the food product. Since the cooking characteristics of the product and the temperature of the plates of the clam-shell heater are known the product may be raised to the required temperature merely by heating it in the clam-shell heater for a predetermined period. If the envelope is formed from a coloured film as mentioned above the colour of the film may provide an indication of the product contained within. Alternatively, indicia identifying the product may be incorporated between the PET layers of the film and/or the exterior of the film may be provided with indicia identifying the product, and similar information.

As a food product is heated between the clam-shell heater plates steam will be generated and steam pressure will build up within the envelope. At the elevated temperature induced by the clam-shell heater the seals of the envelope will be vulnerable to self-peeling under the influence of internal pressure within the package. Accordingly, the package will automatically vent as it is heated.

At the end of a predetermined heating period the package will be removed from the clam-shell heater. In some instances the film may be removed immediately and the product served. In other instances the film will be removed immediately and the product further treated (for example by searing) before it is served. In certain instances the heated food product may be left within the envelope for some time after heating, the envelope being removed immediately prior to serving.

The invention utilizes a material which, in itself, is known within the packaging industry in a novel and inventive manner to provide a food package and a method of heating a food product which have substantial advantages as compared with techniques available in the prior art. Forming the food product into a package by

surrounding it with a sealed envelope offers substantial advantages in terms of preserving the condition of the food product during storage and handling. Heating the product within the envelope offers substantial advantages in terms of cleanliness and elimination of cross-contamination. By designing the seals of the package to be self-venting the advantage of containing steam around the product during the early phase of cooking and venting that steam when the pressure of the steam becomes excessive are obtained. By forming the film as a laminate with a distinctive colour ink or dye contained within the laminate the possibility of small portions of film being left adhered to the film product is substantially reduced.

Although the invention is being described with particular reference to the heating of a pre-cooked food product it is to be understood that the invention is also applicable to the cooking of food products by heating, the food product contained within the envelope prior to heating being essentially uncooked.

PCT/**GB**20**04**/00**1566**